PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED LINDER THE PATENT COOPERATION

| | | ANDER THE TATELYT COOPERATION TREATT (FCT) |
|--|---------------------|---|
| (51) International Patent Classification ⁵ : A23G 9/28, 9/20, 1/20 | A1 | (11) International Publication Number: WO 94/19963 |
| A23G 9126, 9120, 1120 | AI | (43) International Publication Date: 15 September 1994 (15.09.94) |
| (21) International Application Number: PCTEP (22) International Filing Date: 18 February 1994 ((30) Priority Data: 93301713.9 8 March 1993 (08.03.93) (34) Countries for which the regional or international application was filed: | 18.02.9 | CZ, DE, DK, ES, FI, GB, HU, JF, KF, KR, KZ, LK, ZU, LV, MG, MM, MW, NN, NN, NN, ZP, LF, TR, NS, RU, SD, SE, SK, UA, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, ER, TI, TU, MC, NL, PT, SED, OAFF peleate (BF, B), CF, CG, CI, CM, GA, GN, MI, MR, NE, SN, TID, TG). |
| (71) Applicant (for AU BB CA GB IE LK MN MW NZ S UNILEVER PLC [GB/GB]; Unilever House, Bi London EC4P 4BQ (GB). | SD only ackfria | With international search report. |
| (71) Applicant (for all designated States except AU BB CA (MN MW NZ SD): UNILEVER NV [NL/NL]; We NL-3013 AL Rotterdam (NL). | GB IE L cena 45 | K. |
| (72) Inventor: BINLEY, Gary, Norman; 15 Raven Drive Scagrave, Kettering, Northampton NN15 6SD (GB | e, Barto i). | • |
| (74) Agent: ROSCOE, Brian, Corrie; Unilever plc, Patent Colworth House, Sharnbrook, Bedford MK44 1LQ | Divisio (GB). | 1, |
| | | |
| (54) Title: METHOD FOR DISPENSING AN AERATED | СОМ | POSITION |
| (57) Abstract | | |
| Reproducible volumes of aerated material, e.g. ice of predetermined volume and releasing the pressure before dis | confecti spensin | na, are disposed on a continuous basis by compressing a quantity to a |
| | | |
| 0 | | |
| | | |
| | | |
| | | * |
| | | |
| | | |

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| ΑŪ | Australia | GE | Georgia | MW | Malawi |
|----|--------------------------|----|------------------------------|-----|--------------------------|
| BB | Barbados | GN | Guinea | NE | Niger |
| BE | Belgium | GR | Greece | NL | Netherlands |
| BF | Burkina Faso | HU | Hungery | NO | Norway |
| BG | Bulgaria | TE | Ireland | NZ | New Zealand |
| BJ | Benin | п | Italy | PL | Poland |
| BR | Brazil | JP | Japan | PT | Portugal |
| BY | Belarus | KE | Kenya | RO | Romania |
| CA | Canada | KG | Kyrgystag | RU | Russian Federation |
| CF | Central African Republic | KP | Democratic People's Republic | SD | Sudan |
| CG | Congo | | of Korea | SE | Sweden |
| CH | Switzerland | KR | Republic of Korea | SI | Slovenia |
| CI | Cite d'Ivoire | KZ | Kazakhstan | SK | |
| CM | Cameroon | ũ | Liochtenstein | | Slovakia |
| CN | China | LK | | SN | Senegal |
| cs | Czechoslovakia | | Sri Lanka | TD | Chad |
| cz | | LU | Luxembourg | TG | Togo |
| | Czech Republic | LV | Latvia | TJ | Tajikistan |
| DE | Germany | MC | Мовасо | TT | Trinidad and Tobago |
| DK | Denmark | MD | Republic of Moldova | UA. | Ukraine |
| ES | Spain | MG | Madagescar | US | United States of America |
| FI | Finland | ML | Mali | UZ | Uzbekistan |
| FR | Prence | MN | Mongolia | VN | Viet Nam |
| GA | Gabon | | | | |

- 1 -

METHOD FOR DISPENSING AN AERATED COMPOSITION

FIELD OF THE INVENTION

This invention relates to the handling of materials and, in particular, to handling of aerated compositions to provide reproducible volumes of these compositions on a continuous basis.

10 BACKGROUND OF THE INVENTION

15

20

25

Dispensing of reproducible volumes of aerated material presents difficulties because such material can be expected to distort in shape and undergo changes in volume during handling. These problems result from the aeration, in the form of bubbles, being capable of changing volume when subjected to small, even localised, pressure changes. This problem is particularly found with frozen ice confections because these compositions are aerated and comprise a complex structure containing fats, or fat replacers, and water in addition to milk derived solids. These confections, which include ice cream, ice milks, frozen yoghurts and frozen custards, require careful handling at low temperatures, ie. below 0°C, to retain their structure. Aerated chocolate is another example of a material which will change volume under pressure.

- 2 -

Additionally change of pressure and the consequent change in volume will often be associated with variations in viscosity. Therefore an aerated material will show different flow rates when subjected to pressure.

5

10

15

LITERATURE

US 4566612 (Kreuter) describes the dispensing of ice cream using a flexible flap valve. Oakes (GB 200597) describes production of a cellular product, eg. aerated chocolate, and dispensing it via an orifice carried on a piston. An apparatus for dispensing meringue is shown in EPA 0539646 (Perrero) and a machine for delivering metered quantities of fluid or semi-fluid substances described in US 4787534 (Perrero).

Ice confections have been well characterised in the literature and general disclosures will be found in Arbuckle and J Soc Dairy Technology 1990, 43(1), pp 17-20.

20

25

GENERAL DESCRIPTION OF THE INVENTION

Dispensing of aerated materials, preferably food materials, is achieved, according to the present invention, by compressing the material under pressure to a predetermined volume in which the bubbles are reduced to a volume which effectively removes errors in measurement. Thus the invention comprises a method of dispensing reproducible amounts of an aerated deformable composition comprising the steps of:

30

i) introducing the composition under pressure into a first volume,

35

 ii) allowing this first volume to expand to a second volume at which the pressure of aeration is ambient, and

- 3 -

iii) dispensing the second volume of aerated composition.

The method of the invention is particularly applicable to aerated foods materials.

A preferred form of allowing the first volume to expand to the second volume is to have a piston movable within a cylinder. The ice confections, to which the method is particularly applicable, will usually have an over-run in the range from 50% to 200%.

The present invention is particularly valuable when several dosing units feed from a single manifold. Variation in equipment will not affect the volume dosed from each unit because the volume of aerated material in the expandable volume is isolated from the manifold feed.

SPECIFIC DESCRIPTION OF THE INVENTION

20

25

30

35

5

10

15

An example of the method of the invention will now be given to illustrate, but not limit the invention, referring to the accompanying diagrammatic drawings in which:

Figures 1 to 3 show sequences in the operation of a device to displace aerated material.

In Figure 1 a piston 2 is slidable within cylinder 1 and material is supplied to the cylinder volume via inlet conduit 4 from inlet manifold 5. Material passes from conduit 4 into the cylinder 1 through changeover valve 6 and leaves the cylinder through valve 6 when rotated. This valve may be of any convenient design and could comprise two separately operated valves. The conduit 4 and manifold 5 contain aerated material under pressure. Material passes from the cylinder via valve 6 and exit conduit 3.

- 4

In Figure 1 valve 6 is open to allow material into the cylinder to occupy a measured first volume 7. On closing valve 6 (see Figure 2) first volume 7 is held isolated in the cylinder under a known pressure. For an ice confection this pressure would be 5 to 6 bar so that the aeration gas is compressed to 1/5 or 1/6 of its original volume.

Piston 2 is then moved along the cylinder - see Figure 2 - to allow the compressed aerated material to expand to fill second volume 8. In this volume the aeration gas is under ambient pressure, which will usually be atmospheric. Thus the second volume is occupied by a predetermined volume of aerated material. This volume 8 is obtained by measuring the ice confection into volume 7 under a known pressure.

10

15

20

25

On rotating valve 6 to communicate with conduit 3 - see Figure 3 - and moving piston 2 along cylinder 1 the aerated material in the second volume forms a portion 9. This portion 9 separates from the device when the piston reaches the end of its travel and valve 6 closes.

The ice confection had an over-run of 100%. The portion 9 could be dispensed into an appropriate mould or an edible container, eq a chocolate shell.

- 5 -


CLAIMS

5

10

20

- A method of dispensing reproducible amounts of an aerated deformable composition comprising the steps of:
- i) introducing the composition under pressure into a first volume,
- ii) allowing this first volume to expand to a second volume at which the pressure of aeration is ambient, and
 - iii) dispensing the second volume of aerated composition.
- A method according to claim 1, wherein the first volume is allowed to expand by movement of a piston within a cylinder.
 - A method according to claim 1 or 2, wherein the aerated composition is an ice confection having an over-run in the range from 50% to 200%.



INTERNATIONAL SEARCH REPORT

International application No.

| | PCT/EP 94/00515 |
|---|---|
| A. CLASSIFICATION OF SUBJECT MATTER IPC 5 A23G9/28 A23G9/20 A23G1/20 | |
| According to International Patent Classification (IPC) or to both national classification and IPC | |
| B. FIELDS SEARCHED | |
| Minimum documentation searched (classification system followed by classification symbols) IPC 5 A23G | |
| Documentation searched other than minimum documentation to the extent that such documents as | e included in the fields searched |
| Electronic data base consulted during the international search (name of data base and, where prac- | tical, search terms used) |
| C. DOCUMENTS CONSIDERED TO BE RELEVANT | |
| Category* Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
| A DE,A,28 32 521 (E.T. OAKES LTD) 15 February 1979 see claims 1-5 & GB,A,2 006 597 cited in the application | 1 |
| A US,A,4 566 612 (A. VON KREUTER) 28 January 1986 cited in the application | |
| Further documents are listed in the continuation of box C. | mily members are listed in annex. |
| ** document defining the general state of the set which is not considered to be of periodical release. **E' extinct document thus published on or after the informational filling date. **L' document thus published on or after the informational filling date. **L' document to be published on or after the informational country of the published on the country of the published or date of order to stabilish the published or document referring to an ord idiactionary, use, clubiblished or document and order to stabilish the published or document and the published | at published after the international filling date minds the principle or theory underlying the critical the principle or theory underlying the provided reviewors, the chained invention and devel arow or cannot be considered to vertice step when the comment is taken alone personal or electrones; the chained invention personal or electrones; the chained invention personal reviewors; the chained invention combinated with one or other face the discus- cionalized with one or other face the discus- cionalized with one of the state of the combination being observed to previous titled and the combination of the previous titled and the combination of the combination of the the combination of the combination |
| | ng of the international search report 17. 06, 94 |
| Name and mailing address of the ISA Authorized o | |

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/EP 94/00515

| | | 101/21 | 31,700010 |
|---|------------------|---|--|
| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
| DE-A-2832521 | 15-02-79 | CA-A- 1124567 CH-A- 632420 FR-A,B 2398597 GB-A,B 2006597 JP-C- 1132882 JP-A- 54026362 JP-B- 57021293 US-A- 4272558 | 01-06-82 15-10-82 23-02-79 10-05-79 27-01-83 27-02-79 06-05-82 09-06-81 |
| GB-A-2006597 | 10-05-79 | CA-A- 1124567 CH-A- 632420 DE-A,C 2832521 FR-A,B 2398597 JP-C- 1132882 JP-A- 54026362 JP-B- 57021293 US-A- 4272558 | 01-06-82 15-10-82 15-02-79 23-02-79 27-01-83 27-02-79 06-05-82 09-06-81 |
| US-A-4566612 | 28-01-86 | NONE | |